# **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	140	(log with protocol with (sequence or order))	US-PGPUB; USPAT	OR	ON	2006/09/29 20:15
L2	155	(log with protocol with (sequence or order\$3 or sort\$3))	US-PGPUB; USPAT	OR	ON	2006/09/29 20:16
L3	27	(log with network with protocol with (sequence or order\$3 or sort\$3))	US-PGPUB; USPAT	OR	ON	2006/09/29 20:17
L4	12	(log with network with protocol with (sequence or order\$3 or sort\$3)) and @ay<"2002"	US-PGPUB; USPAT	OR	ON	2006/09/29 20:27
L5	24	(logging with protocol with (sequence or order\$3 or sort\$3)) and @ay<"2002"	US-PGPUB; USPAT	OR	ON	2006/09/29 20:28
L6	23	(logging with protocol with (sequence or order\$3 or sort\$3)) and @ay<"2002" and network	US-PGPUB; USPAT	OR	ON	2006/09/29 20:28
L8	1	"5375241".PN.	USPAT; USOCR	OR	ON	2006/09/29 21:11
L9	1	"5408618".PN.	USPAT; USOCR	OR	ON	2006/09/29 21:11
L10	1	"5515504".PN.	USPAT; USOCR	OR	ON	2006/09/29 21:12
L11	1	"5561800".PN.	USPAT; USOCR	OR	ON	2006/09/29 21:12
L12	529	@ay<"2002" and ((view\$4 or display\$4) with (log) with (sort\$3 or order\$3 or sequence))	US-PGPUB; USPAT	OR	ON	2006/09/29 21:16
L13	375	@ay<"2002" and ((view\$4 or display\$4) with (log) with (sort\$3 or order\$3 or sequence)) and network	US-PGPUB; USPAT	OR	ON	2006/09/29 21:16
L14		@ay<"2002" and ((view\$4 or display\$4) with (log) with (sort\$3 or order\$3 or sequence)) and (network with protocol with log\$3)	US-PGPUB; USPAT	OR	ON	2006/09/29 21:16
S1	0	("5787253.pn.").PN.	US-PGPUB; USPAT	OR	OFF	2006/06/28 11:08
S2	1	"5787253".pn.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:26
S3	51305	network with log\$5	US-PGPUB; USPAT	OR	ON	2005/06/27 02:04
S4	9574	(network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field))	US-PGPUB; USPAT	OR	ON	2005/06/27 02:05

# **EAST Search History**

	-		T <u></u>	T		
S5	3828	(network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface)	US-PGPUB; USPAT	OR	ON	2005/06/27 02:06
S6	1422	@ay<"2001" and (network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface)	US-PGPUB; USPAT	OR	ON	2005/06/27 02:06
S7	420	@ay<"2001" and (network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface) and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/06/27 02:07
S8	237	@ay<"2001" and (network with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface) and "709".clas. and (buffer or cache)	US-PGPUB; USPAT	OR	ON	2005/06/27 02:08
S9	84	@ay<"2001" and (network with (data or packet) with log\$5) and ((custom\$7 or setup or arrang\$4 or sort\$4) with (log\$4 or field)) and (user adj2 interface) and "709".clas. and (buffer or cache)	US-PGPUB; USPAT	OR	ON	2005/06/27 02:08
S10	24	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5)	US-PGPUB; USPAT	OR	ON	2005/11/09 14:28
S11	7	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5) and (sort\$5)	US-PGPUB; USPAT	OR	ON	2005/11/09 14:32
S12	21	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5) and (custom\$6 or filter\$4 or select\$5)	US-PGPUB; USPAT	OR	ON	2005/11/09 14:33
S13 <sup>*</sup>	13	@ay<"2001" and 709/223,224.ccls. and (log\$5 with protocol with specific\$5) and ((custom\$6 or filter\$4 or select\$5) with (parameter or data or field))	US-PGPUB; USPAT	OR	ON	2005/11/10 12:23
S14	24	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4)	US-PGPUB; USPAT	OR	ON	2005/11/10 12:23
S15	8	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific)	US-PGPUB; USPAT	OR	ON	2005/11/10 15:33
S16	3	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific) and sort	US-PGPUB; USPAT	OR	ON	2005/11/10 12:23

# **EAST Search History**

						_
S17	3	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific) and sort\$4	US-PGPUB; USPAT	OR	ON	2005/11/10 12:23
S18	8	@ay<"2001" and 709/223,224.ccls. and (network adj cach\$4) and (protocol with specific)	US-PGPUB; USPAT	OR .	ON	2005/11/10 15:33
S19	392	@ay<"2001" and 709/223.ccls. and filter	US-PGPUB; USPAT	OR	ON	2005/11/10 15:34
S20	1	"5612898".pn.	US-PGPUB; USPAT	OR	ON	2006/09/29 21:14
S21	2	"6546390".pn. "6393464".pn.	US-PGPUB; USPAT	OR	ON	2006/06/28 15:23
S22	1	"6018627".pn.	US-PGPUB; USPAT	OR	ON	2006/06/28 15:24
S23	13102	(protocol with (log or logging or report\$3 or history))	US-PGPUB; USPAT	OR	ON	2006/09/29 11:28
S24	8622	(protocol with (log or logging or report\$3 or history)) and (sequence)	US-PGPUB; USPAT	OR	ON	2006/09/29 11:28
S25	804677	(log or logging or report\$3 or history)	US-PGPUB; USPAT	ÖR	ON	2006/09/29 11:28
S26	80935	S25 with (sequence or order)	US-PGPUB; USPAT	OR	ON	2006/09/29 11:29
S27	639	S26 with protocol	US-PGPUB; USPAT	OR	ON	2006/09/29 11:29
S28	13336	S25 with (sequence or order) with (select\$6 or choos\$4 or determin\$4 or option)	US-PGPUB; USPAT	OR	ON	2006/09/29 11:31
S29	13336	(select\$6 or choos\$4 or determin\$4 or option) with S26	US-PGPUB; USPAT	OR	ON	2006/09/29 20:15



Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE

SEARCH

**IEEE XPLORE GUIDE** 

Edit an existing query or compose a new query in the Search Query Display.

### Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- · Run a search

Fri, 29 Sep 2006, 8:47:05 PM EST

Search Query Display

### Recent Search Queries

- ((((((log <or> logging) <and> protocol <and> (sequence <or>
  order <or> sort)))<in>metadata)) <and> (pyr >= 1950 <and> pyr
  <= 2002)</pre>
- (((((log <or> logging) <and> protocol <and> (sequence <or> order <or> sort)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)
- ((((((log <or> logging) <and> protocol <and> (sequence <or> order <or> sort)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)
- #4 (((logging) <and> (order <or> sort <or> sorting) <and> protocol) <in>metadata)
- #5 ((((logging) <and> (order <or> sort <or> sorting) <and> protocol) <in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)
- $\frac{\#6}{3} \qquad ((((protocol < and > logging)) < in > metadata)) < and > (pyr >= 1950) < and > pyr <= 2002)$

Indexed by

Help Contact Us Privacy &:

© Copyright 2006 IEEE -